

LOW-PROFILE FLOOR CONTAINMENT

Rubber floor bunding for active industrial floors

Contain • protect • preserve practical access

Engineered to reduce risk at every metre.

Trade Enviro rubber floor bunding is our proprietary system for demanding industrial containment. Long 5 m sections reduce joint frequency, extruded underside adhesive channels support a controlled seal, and rugged marine-grade rubber stands up to active vehicle areas. Included fixings and responsive installation support help turn the product into a correctly installed containment system.

THE TRADE ENVIRO ADVANTAGE

5 m

ENGINEERED SECTIONS

Fewer joints across longer containment boundaries.

1 vs 9

JOINTS ACROSS 10 m

One engineered join compared with nine typical modular butt joints.

42 mm

LOW-PROFILE ACCESS

Trafficable geometry for practical vehicle movement.

Why 5 m sections matter in high-traffic environments.

Section length determines joint frequency - and every additional joint creates another potential point of failure to install, load, inspect and maintain.

Fewer joints. Fewer potential points of failure.

TRADE ENVIRO | 2 x 5 M ENGINEERED SECTIONS

1 JOINT



TYPICAL MODULAR | 10 x 1 M SECTIONS

9 JOINTS



LONG ENGINEERED SECTIONS

5 m SECTIONS

Across 10 m: 1 engineered joint versus 9 typical modular butt joints.

Long runs, fewer interfaces to seal and maintain.



LONG ENGINEERED SECTIONS

Supplied in 5 m sections - less interruption across the run.



FEWER FAILURE POINTS

Fewer interfaces to seal, load, inspect and maintain.



EXTRUDED ADHESIVE CHANNELS

Underside slots control adhesive placement and support the seal.




LOW-PROFILE ACCESS

42 mm high for practical vehicle movement.

Engineered strength where the installation needs it.

The profile combines tough marine-grade rubber, low-profile access and extruded underside channels for a controlled fixing and sealing interface.

RUBBER FLOOR BUNDING - BUILT TO SEAL. BUILT TO LAST.



WHY THIS PROFILE OUTPERFORMS

LOW-PROFILE ACCESS

42 mm high for practical vehicle movement.

TOUGH MARINE-GRADE RUBBER

Non-porous construction for demanding industrial use.

EXTRUDED UNDERSIDE CHANNELS

Channels control adhesive placement and support sealing.

TRAFFICABLE GEOMETRY

Rounded form supports smoother wheel transitions.

PRODUCT SPECIFICATIONS AT A GLANCE

Product Code: TERFB

PROFILE 42 mm high x 125 mm wide	MATERIAL Non-porous, marine-grade rubber	LENGTH 5 m sections
COLOURS Black or safety yellow	INSTALLATION Masonry anchors + industrial adhesive	CONSTRUCTION Tough Construction. Resistant to most chemicals and fuels

VALUE BUILT INTO THE PROFILE

Long 5 m sections, engineered sealing channels and included fixings work together as one robust containment system.

A superior system made straightforward to install.

Rubber floor bunding installs directly onto prepared concrete using masonry anchors and industrial adhesive - supported by included fixings, clear guidance and responsive after-sales help.

INSTALLATION OVERVIEW

Surface-mounted sections join to form larger containment areas. Optional pre-cut and pre-drilled preparation can reduce site time, while HD ramps support smoother forklift transitions. Trade Enviro remains available to help the installation go in correctly.



A PRACTICAL INSTALLATION SEQUENCE

- 01 **PREPARE** Confirm layout, floor condition, containment volume, corners and traffic routes.
- 02 **POSITION** Place long sections, mitred corners and crossings to the approved geometry.
- 03 **FIX** Mechanically anchor the run into prepared concrete at the specified centres.
- 04 **SEAL** Apply industrial adhesive through the underside channels and seal each joint.
- 05 **COMPLETE** Add HD ramps where required, inspect interfaces and hand over the finished boundary.

SUPPLIED TO HELP YOU INSTALL IT RIGHT



FREE BOLTS + WASHERS

CLEAR INSTALL GUIDANCE

AFTER-SALES SUPPORT

Tough enough for the way an industrial site operates.

Rugged marine-grade rubber creates a durable containment boundary while preserving practical access around workshops, storage areas and active traffic routes. Highly Durable and able to withstand high-volume heavy vehicle access.



BUILT FOR REAL INDUSTRIAL APPLICATIONS



1. ACTIVE TRAFFIC

Plan crossings around forklifts, pallet jacks and vehicles.



2. STORAGE ZONES

Define a contained boundary around liquid storage and work areas.



3. WASH AREAS

Help control wash water and spills on an existing slab.



4. DOORWAYS

Use profile and ramp treatments where access must be maintained.

Environmental Compliance Made Simple.



Trade Enviro supports industrial, workshop, warehouse and property teams with practical product selection, supply and clear project communication.

TRUSTED BY ORGANISATIONS ACROSS AUSTRALIA



Rash Koch · Koch Contracting



We undertook the project of building a permanent wash bay for our facility and had a fantastic experience with Trade Environmental. Their after-sales service was excellent; they went above and beyond helping us navigate a challenging local council process for trade wastewater. Their knowledge and expertise really stood out, and we felt confident having them on our side every step of the way. Highly recommend!

Scott Parsons · Port Augusta City Council



Council recently purchased an oil boom for a liquid waste pond containing a grease trap and also oily-type waste. The time taken from the order right through to delivery, and the initial information provided by Paul, was of an excellent standard and expertise, which is greatly appreciated. The product itself has done the job as required, and we would have no hesitation recommending these products for any similar applications.

Luke Hillery · Hillery Group



We are very happy with the service and product provided by Trade Environmental. Delivery was on time and the backup service couldn't be faulted. I would most certainly use Trade Environmental for my next sediment curtain requirement.

Garry Solly · McMahon Services



Trade Environmental are a pleasure to deal with. From quote stage right through to delivery, you are fully informed. I would certainly use their services again and recommend them to others.

Ben English · Atlas CEA



Fantastic service and very quick turnaround. This is the second lot of bunds we have bought and cannot fault the service or product. 10/10.

Rhiannon Brown · Western Enviropest & Weed Solutions



Fabulous service and communication.



Paul Banner · Managing Director

☎ 0434 314 803
✉ paul@tradeenviro.com.au
🌐 tradeenviro.com.au

FREE CONSULTATION

- 1 Share the liquid, required area and site photographs
- 2 Confirm slab condition, traffic, corners and crossings
- 3 Receive a recommended layout, installation guidance and quote

